

# Price-list

## Quantum Pro

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Quantum Pro W 312 Dir P	ITC	312	P:117/50	0-80	150 H	20	20	265000
Quantum Pro W 312 Dir HP			HP:122/60	0-95				265000
Quantum Pro W 312 Dir SP			SP:130/70	40-100				265000
Quantum Pro S	BTE	13	129/60	0-90	240 H	20	20	265000
Quantum Pro HP	BTE	13	133/70	15-100	240 H	20	20	265000
Quantum Pro M	OPEN FIT	312	126/54	0-85	140 H	20	20	265000

## Quantum 20

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Quantum 20 CIC Omni P	CIC*	10	P:117/50	0-80	80 H	20	20	170000
Quantum 20 CIC Omni HP			HP:122/60	0-95				170000
Quantum 20 Micro	CIC*	10	108/35	0-70	90 H			170000
Quantum 20 W 312 Omni P	ITC	312	P:117/50	0-80	150 H	20	20	170000
Quantum 20 W 312 Omni HP			HP:122/60	0-95				170000
Quantum 20 NW 312 Omni SP			SP:130/70*	40-100				170000
Quantum 20 M	OPEN FIT	312	126/54	0-85	140 H	20	20	170000
Quantum 20 S	BTE	13	129/60	0-90	240 H	20	20	170000
Quantum 20 HP	BTE	13	133/70	15-100	240 H	20	20	170000

## Quantum 12

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Quantum 12CIC Omni P	CIC*	10	P:117/50	0-80	80 H	12	12	85000
Quantum 12CIC Omni HP			HP:122/60	0-95				85000
Quantum 12 Micro	CIC*	10	108/35	0-70	90 H			85000
Quantum 12W 312 Omni P	ITC	312	P:117/50	0-80	150 H	12	12	84000
Quantum 12W 312 Omni HP			HP:122/60	0-95				84000
Quantum 12 NW 312 Omni SP			SP:130/70*	40-100				84000
Quantum 12S	BTE	13	129/60	0-90	240 H	12	12	82000
Quantum 12 HP	BTE	13	133/70	15-100	240 H	12	12	82000
Quantum 12 M	OPEN FIT	312	126/54	0-85	140 H	12	12	79500

## Quantum 6

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Quantum 6CIC Omni P	CIC*	10	P:117/50	0-80	80 H	6	6	37500
Quantum 6 CIC Omni HP			HP:122/60	0-95				37500
Quantum 6 Micro	CIC*	10	108/35	0-70	90 H			37500
Quantum 6 W 312 Omni P	ITC	312	P:117/50	0-80	150 H	6	6	37500
Quantum 6 W 312 Omni HP			HP:122/60	0-95				37500
Quantum 6 NW 312 Omni SP			SP:130/70*	40-100				37500
Quantum 6 S	BTE	13	129/60	0-90	240 H	6	6	35000
Quantum 6 HP	BTE	13	133/70	15-100	240 H	6	6	37000
Quantum 6 M	OPEN FIT	312	126/54	0-85	140 H	6	6	36000

## Moxi

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Moxi Pro	CRT (Rx S)	312	112/45	0-80	141 H	20	20	265000
Moxi Pro	CRT (Rx P)		126/55	15-100	130 H			
Moxi Pro	CRT (Rx SP)		129/61	40-100	135 H			
Moxi 20	CRT (Rx S)	312	112/45	0-80	141 H	20	20	170000
Moxi 20	CRT (Rx P)		126/55	15-100	130 H			
Moxi 20	CRT (Rx SP)		129/61	40-100	135 H			
Moxi 12	CRT (Rx S)	312	112/45	0-80	141 H	12	12	88000
Moxi 12	CRT (Rx P)		126/55	15-100	130 H			
Moxi 12	CRT (Rx SP)		129/61	40-100	135 H			
Moxi 6	CRT (Rx S)	312	112/45	0-80	141 H	6	6	39000
Moxi 6	CRT (Rx P)		126/55	15-100	130 H			
Moxi 6	CRT (Rx SP)		129/61	40-100	135 H			

## Max

Model	Type	Battery Size	Output/Gain	Range	Battery Life(HRS)	Channels	Bands	Price
Max 20 SP	BTE	675	142/82	70-120	320 hrs	20	20	168500
Max 20 SPm	BTE	13	140/75	60-100	150 hrs	20	20	165500
Max 6 SP	BTE	675	142/82	70-120	320 hrs	6	6	54500
Max 6 SPm	BTE	13	140/75	60-100	150 hrs	6	6	52500
Max E SP	BTE	675	142/82	70-120	320 hrs	6	6	36500
Max E SPm	BTE	13	140/75	60-100	150 hrs	6	6	34500

## Passport

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Band	Price
Passport	CIC*	10	116/55	0-85	90 H	20	20	120000
Passport	ITC	312	117/55	0-85	160 H	20	20	120000
Passport	BTE	13	125/60	0-90	240 H	20	20	100000
Passport HP	BTE		135/75	15-110	140 H			105000
Passport Moda 13	OPEN FIT	13	124/53	0-85	220 H	20	20	115000
Passport Moxi 3G	CRT (Rx S)	312	112/45	0-80	141 H	20	20	115000
Passport Moxi 3G	CRT (Rx P)		126/55	35-100	130 H			

## Latitude 16

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Latitude 16	CIC*	10	116/55	0-85	90 H	16	16	88000
Latitude 16	ITC	312	117/55	0-85	160 H	16	16	88000
Latitude 16	BTE	13	125/60	0-90	240 H	16	16	82500
Latitude 16 HP	BTE		135/75	15-110	140 H			85000
Latitude 16 Moda 13	OPEN FIT	13	124/53	0-85	220 H	16	16	85000
Latitude 16 Moxi 3G	CRT(Rx S)	312	112/45	0-80	141 H	16	16	88000
Latitude 16 Moxi 3G	CRT(Rx P)		126/55	35-100	130 H			

## Latitude 8

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Latitude 8	CIC*	10	116/55	0-85	90 H	8	8	55000
Latitude 8	ITC	312	117/55	0-85	160 H	8	8	55000
Latitude 8	BTE	13	125/60	0-90	240 H	8	8	48500
Latitude 8 HP	BTE	13	135/75	15-110	140 H			50000
Latitude 8 Moda 13	OPEN FIT	13	124/53	0-85	220 H	8	8	52000
Latitude 8 Moxi 3G	CRT(Rx S)	312	112/45	0-80	141H	8	8	55000
Latitude 8 Moxi 3G	CRT(Rx P)		126/55	35-100	130H			

## Latitude 4

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Latitude 4	CIC*	10	116/55	0-85	90 H	4	8	32500
Latitude 4	ITC	312	117/55	0-85	160 H	4	8	32500
Latitude 4	BTE	13	125/60	0-90	240 H	4	8	31000
Latitude 4 HP	BTE		135/75	15-110	140 H			32500
Latitude 4 Moxi 3G	CRT(Rx S)	312	112/45	0-80	141H	4	8	32500
Latitude 4 Moxi 3G	CRT(Rx P)		126/55	35-100	130H			

## 360e / 360+

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
360e	BTE*	675	141/82	70-120	400 H	4	8	26500
360+	BTE*	675	141/82	70-120	400 H	8	8	46500

## Tandem

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Tandem 16 M	CROS/ BiCROS BTE*	13	125/55	0-85	265 H	16	16	135000
Tandem 4 M	CROS/ BiCROS BTE*	13	125/55	0-85	265 H	4	8	55000

## Next 16

(Next 16 Model available till 31st August 2013)

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Next 16	CIC*	10	116/55	0-85	80 H	16	16	66000
Next 16	ITC*	312	113/48	0-70	135 H	16	16	64000
Next 16 P	BTE*	13	130/70	0-95	170 H	16	16	58000
Next 16 HP	BTE*	13	135/75	15-110	132 H	16	16	60000
Next 16 Moda	OPEN FIT*	312	118/45	0-80	120 H	16	16	60000
Next 16 Moxi	CRT(Rx S)*	312	109/44	0-85	130 H	16	16	60000
	CRT(Rx P)*	312	123/55	35-100	120 H	16	16	60000

Price-list effective from 14th April 2013

## Next 8

(Next 8 Model available till 31st August 2013)

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Next 8	CIC*	10	116/55	0-85	80 H	8	8	44000
Next 8	ITC*	312	113/48	0-70	135 H	8	8	41000
Next 8 P	BTE*	13	130/70	0-95	170 H	8	8	36000
Next 8 HP	BTE*	13	135/75	15-110	132 H	8	8	38000
Next 8 Moda II	OPEN FIT*	312	118/45	0-80	120 H	8	8	38000
Next 8 Moxi	CRT(Rx S)*	312	109/44	0-85	130H	8	8	38000
	CRT(Rx P)*	312	123/55	35-100	120H	8	8	38000

## Next 4

(For Approved Govt/ CGHS Supplies Only)

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Next 4	CIC*	10	116/55	0-85	80 H	4	8	25000
Next 4	ITC*	312	113/48	0-70	135 H	4	8	25000
Next 4 HP	BTE*	13	135/75	15-110	132 H	4	8	20000
Next 4 Moda II	OPEN FIT*	312	118/45	0-80	120 H	4	8	20000
Next 4 Moxi	CRT(Rx S)*	312	109/44	0-85	130H	4	8	20000
	CRT(Rx P)*	312	123/55	35-100	120H	4	8	20000

## Next E

(Next E Model available till 31st August 2013)

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Next E	CIC*	10	116/55	0-85	80 H	4	8	21000
Next E	ITC*	312	113/48	0-70	135 H	4	8	21000
Next E	BTE*	13	125/60	0-90	245 H	4	8	21000
Next E HP	BTE*	13	135/75	15-110	132 H	4	8	21000
Next E Moda II	OPEN FIT*	312	118/45	0-80	120 H	4	8	21000

## Shine+

Model	Type	Battery Size	Output/ Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Shine +	CIC*	10	116/55	0-85	90 H	4	8	19500
Shine +	ITC*	312	117/55	0-85	160 H	4	8	19500
Shine +	BTE*	13	133/65	0-100	280 H	4	8	18500
Shine + HP	BTE*	675	138/75	15-110	500 H	4	8	18500
Shine + Moda II	OPEN FIT*	312	117/45	0-80	130 H	4	8	18500

## Shine

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Shine	BTE*	13	133/65	0-100	280 H	2	4	14500
Shine HP	BTE*	675	138/75	15-110	500 H	2	4	15500
Shine Moda II	OPEN FIT*	312	117/45	0-80	130 H	2	4	16500

## Ziel / Ziel+

Model	Type	Battery Size	Output/Gain	Range	Battery Life (HRS)	Channels	Bands	Price
Ziel	BTE*	13	123/53	0-80	310 H	2	0	7500
Ziel P	BTE*	13	133/65	0-100	280 H	2	0	8500
Ziel HP	BTE*	675	138/75	0-110	500 H	2	0	9500
Ziel +	BTE*	13	123/53	0-80	310 H	2	0	10500
Ziel + P	BTE*	13	133/65	0-100	280 H	2	0	11000
Ziel + HP	BTE*	675	138/75	0-110	500 H	2	0	11500

### Note:

- All Hearing Aids Cover 24 months warranty except Zeil/Zeil+.
- Zeil/Zeil+ Cover 18 months Warranty.
- Extended Warranty Available.
- All accessories except batteries cover 12 months warranty.
- This Price List supersedes all the previous price list and subjects to changes without prior notice.
- Government Taxes & levies will be extra as applicable.
- \* Indicates non-wireless Hearing Instrument.
- Smart control not compatible with micro hearing aids.
- The output & gain are as per ANSI specification.

## Unitron Hearing India Pvt. Ltd.

**Corporate Office:** B/308, Everest Grande, Mahakali Caves Road,  
Andheri (E), Mumbai- 400 093  
Tel. - +91-22-2687 1151-54 Fax - +91-22-2687 1155

**Branch Office:** 3-C1, 3rd Floor, BIGJOS Tower, Plot No A-08,  
Netaji Subhash Place, Pitampura, Delhi-110034  
Tel. - +91-11-45680850

**Customer Care : +91-22-4051 2093**  
**Website : [www.unitron.com](http://www.unitron.com) Email : [info.india@unitron.com](mailto:info.india@unitron.com)**